

SAFETY DATA SHEET

1. Identification

Product identifier SC45 Southcrete Bonding Agent

Other means of identification None.

Recommended use Industrial. Binder for: Construction products.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company name Southern Grouts and Mortars, Inc.

Address 1502 SW 2nd Place

Pompano Beach, Florida 33069

Telephone number (954) 943-2288
Fax (954) 943-2402
Contact name Technical Manager
Website WWW.SGM.CC
Emergency telephone number (954) 943-2288
Transportation emergency (954) 943-2288

2. Hazard(s) identification

OSHA defined hazards Not classified.

Label elements

Labeling (GHS) No labeling required according to GHS

Reportable ingredients for labelling:

Water

Vinyl acetate/vinyl alcohol copolymer

Vinyl acetate/ethene copolymer

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not

otherwise classified

(HNOC)

None known.

3. Composition/information on ingredients

Mixtures Chemical characteristics:

Copolymer of: vinyl acetate + ethylene (dispersion in water).

Composition comments This material does not contain any reportable hazardous ingredients.

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens /

Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably

bound in the product.

4. First-aid measures

Inhalation If inhaled as aerosol, remove to fresh air. No special measures required.

Skin contact If contact with skin, immediately flush skin with plenty of water for at least 15 min. Wash with soap

and water.

SDS US

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids wide apart. Continue rinsing. Get medical attention immediately.

Ingestion Never give anything by mouth to a victim who is unconscious or is having convulsions. DO NOT

INDUCE VOMITING. Rinse mouth thoroughly with water and give large amounts of water if person is

conscious. Get medical attention.

General information Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove

contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical

treatment.

5. Fire-fighting measures Flammable Properties

Property: Value: Method:

Flash point not applicable

Boiling point / boiling range approx. 100 °C (212 °F) at 1013 hPa

Lower explosion limit (LEL) not applicable Ignition temperature not applicable

structures adjacent to the fire.

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None.

Special protective equipment and precautions for firefighters

Dried up material is combustible. This material does not present any unusual fire or explosion

hazards.

Fire-fighting equipment/instructions

Fire fighters should wear full protective clothing including a self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear personal protection equipment (see section 8). If material is released indicate risk of slipping. HAZWOPER PPE Level: C

Methods and materials for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Contain larger amounts and pump up into suitable containers. Clean up with plenty of water. Dispose of cleansing water in accordance with local/state/federal regulations.

Prevent further leakage or spillage if safe to do so.

Environmental precautions Prevent material from entering sewers or surface waters. Contain any fluid that runs out using

suitable material (e.g. earth).

Spills of material which could reach surface waters must be reported to the United States Coast

Guard National Response Center's toll-free phone number (800) 424-8802.

7. Handling and storage Precautions for safe handling

Precautions for safe handling:

Spilled substance increases risk of slipping.

Precautions against fire and explosion:

No special precautions against fire and explosion required.

Advice for storage of incompatible materials:

not applicable.

Further information for storage:

not applicable.

Minimum temperature allowed during storage and transportation: 0 °C (32 °F)

Conditions for safe storage, including any incompatibilities

Protect against frost

8. Exposure controls/personal protection

Ventilation:Use with adequate ventilation.

Local exhaust: not necessary

Associate substances with specific control parameters such as limit values

Personal protection equipment (PPE)

Respiratory protection: not necessary rubber gloves

Eye protection: chemical safety goggles

Other protective clothing

or equipment:

protective clothing to cover exposed areas of arms, legs and torso

General hygiene and Avoid contact with eyes, skin and clothing. Do not eat or drink when handling. Wash thoroughly after protection measures: handling.

9. Physical and chemical properties

Value: Method:

Melting point / melting range approx. 0.00 °C (32 °F)

Boiling point / boiling range approx. 100 °C (212 °F) at 1013 hPa

Flash point not applicable
Ignition temperature not applicable
Lower explosion limit (LEL) not applicable

Vapor pressure 23 hPa at 20 °C (68 °F)

Density 1.05 g/cm³ (specific method)

Water solubility / miscibility moderately soluble

pH-Value 4.0 - 5.0 (ASTM E 70)
Viscosity (dynamic) 1800 - 2700 mPa.s (Brookfield)

10. Stability and reactivity

General information If stored and handled in accordance with standard industrial

practices no hazardous reactions are known.

Conditions to avoid none known.

Materials to avoid none known.

Hazardous decomposition products If stored and handled properly: none known. At increased temperature: acetic acid.

Further information: Hazardous polymerization cannot occur.

11. Toxicological information

General information Data derived for the product as a whole are of higher priority than data for single

ingredients.

Acute toxicity Based on the available data acute toxic effects are not expected after single oral

exposure.

Product Details

Route of exposure	Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	Rat	Conclusion by analogy
			OECD 423

Skin corrosion/irritation

Based on the available data a clinically relevant skin irritation hazard is not

expected.

Product Details

Result/Effect	Species/Test system	Source
Not irritating	Rabbit	Conclusion by analogy
		OECD 404

Serious eye damage / eye irritation

Based on the available data a clinically relevant eye irritation hazard is not expected.

Product details

Result/Effect	Species/Test system	Source
Not irritating	Rabbit	Conclusion by analogy OECD 405

Respiratory or skin sensitization

For this endpoint no toxicological test data is available for the whole product.

Data related to ingredients:

5-Chloro-2-methyl-4-isothiazoline-3-on and 2-methyl-4-isothiazoline-3-on (mixture in a ratio of 3:1):

Based on the proven low sensitization induction threshold in human, mixtures containing ≥15 ppm are classified as skin sensitizing in Europe.

Germ cell mutagenicity

Based on known data a significant mutagenic potential may be excluded.

Product details

Result/Effect	Species/Test system	Source
Negative	Mutation assay (in vitro)	Conclusion by analogy
	bacterial cells	OECD 471

Carcinogenicity For this endpoint no toxicological test data is available for the whole product.

Reproductive toxicityFor this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (single exposure) For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (repeated exposure) For this endpoint no toxicological test data is available for the whole product.

Aspiration hazard Based on the physical-chemical properties of the product no aspiration hazard must

be expected.

Further toxicological information No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

12. Ecological information

Toxicity No expected damaging effects to aquatic organisms. According to current

knowledge adverse effects on water purification plants are not expected.

Product details

Result/Effect	Species/Test system	Source
LC50: > 100 mg/l	Rainbow trout (Oncorhynchus mykiss) (96 h)	Conclusion by analogy OECD 203
EC10: > 1000 mg/l	Sludge (0.5 h)	Conclusion by analogy

Persistence and degradability Polymer component: Not readily biodegradable. Elimination by adsorption to

activated sludge. Separation by flocculation is possible.

Bio-accumulative potential No adverse effects expected.

Mobility in soil No adverse effects expected.

Other adverse effects none known

Additional information The ecotoxicological results provided were obtained from tests with similar

products.

13. Disposal considerations

Disposal instructions Dispose of according to regulations by incineration in a special waste incinerator.

Small quantities may be disposed of by incineration in an approved facility. Observe

local/state/federal regulations.

Packaging disposal Completely discharge containers (no tear drops, no powder rest, scraped carefully).

Containers may be recycled or re-used. Observe local/state/federal regulations.

Recommended cleaning agent Water

14. Transport information

DOT

Valuation Not regulated for transport

Other Information Protect from freezing, when exposed to cold temperatures approaching 0°C (32°F) or below.

IATA

Valuation Not regulated for transport

Transport by sea IMDG-Code

Valuation Not regulated for transport

U.S. Federal regulations

TSCA inventory status and TSCA information

TSCA 12(b) Export Notification CERCLA Regulated Chemicals SARA 302 EHS Chemicals This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory. This material does not contain any TSCA 12(b) regulated chemicals.

This material does not contain any TSCA 12(b) regulated chemical This material does not contain any CERCLA regulated chemicals. This material does not contain any SARA extremely hazardous

substances.

SARA 313 Chemicals

This material does not contain any SARA 313 chemicals above de

minimus levels.

HAPS (Hazardous Air Pollutants)

SC45 Southcrete Bonding Agent

CAS No.	CAS No.	CAS No.
Chemical	Chemical	Chemical
Upper limit wt. %	Upper limit wt. %	Upper limit wt. %
75-07-0	75-07-0	75-07-0

SDS US

15. Regulatory regulations

U.S. State regulations

California Proposition 65 Carcinogens: Acetaldehyde: 75-07-0

Formaldehyde: 50-00-0

California Proposition 65 Reproductive Toxins: Methanol: 67-56-1

Massachusetts Substance List: This material contains no listed components.

New Jersey Right-to-Know Hazardous Substance List: This material contains no listed components.

Pennsylvania Right-to-Know Hazardous Substance List: This material contains no listed components.

Canadian regulations This product has been classified in accordance with the Hazard criteria of

the CPR and the SDS contains all the information required by the CPR.

WHMIS Hazard Classes: None.

DSL Status:This material or its components are listed on the Canadian Domestic

Substances List.

Canadian Ingredient Disclosure List:

This material contains no listed components.

Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea) ECL (Existing Chemicals List):

This product is listed in, or complies with, the substance inventory.

Japan ENCS (Handbook of Existing and New Chemical Substances):

This product is listed in, or complies with, the substance inventory.

16. Other information, including date of preparation or last revision

Additional information

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

Glossary of Terms

ACGIH - American Conference of Governmental Industrial Hygienists

DOT - Department of Transportation

hPa - Hectopascals

mPa*s - Milli Pascal-Seconds

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

ppm - Parts per Million

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

WHMIS - Canadian Workplace Hazardous Materials Identification System

Flash point determination methods

ASTM D56

ASTM D92, DIN 51376, ISO 2592 ASTM D93, DIN 51758, ISO 2719 ASTM D3278, DIN 55680, ISO 3679

DIN 51755

Common name

Tagliabue (Tag) closed cup

Cleveland open cup

Pensky-Martens closed cup Setaflash or Rapid closed cup

Abel-Pensky closed cup

Conversion table:

Pressure 1 hPa * 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa

Viscosity 1 mPa*s = 1 centipoise (cP)